



MINI-Резец для обработки малых отверстий




Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
SBPR14LR0.00	0.85	4.0	0.15	0.00	D4	40	3.7	1mm
SBPR14LR0.05	0.85	4.0	0.15	0.05	D4	40	3.7	1mm
SBPRM6LR0.05	1.8	6.0	0.3	0.05	D4	40	3.7	2mm
SBPRM6LR0.1	1.8	6.0	0.3	0.1	D4	40	3.7	2mm
SBPR36LR0.05	2.7	6.0	0.3	0.05	D4	50	3.7	3mm
SBPR36LR0.1	2.7	6.0	0.3	0.1	D4	50	3.7	3mm
SBPR36LR0.2	2.7	6.0	0.3	0.2	D4	50	3.7	3mm
SBPR310LR0.05	2.7	10.0	0.3	0.05	D4	50	3.7	3mm
SBPR310LR0.1	2.7	10.0	0.3	0.1	D4	50	3.7	3mm
SBPR310LR0.2	2.7	10.0	0.3	0.2	D4	50	3.7	3mm
SBPR48LR0.05	3.7	8.0	0.7	0.05	D4	50	3.7	4mm
SBPR48LR0.1	3.7	8.0	0.7	0.1	D4	50	3.7	4mm
SBPR48LR0.2	3.7	8.0	0.7	0.2	D4	50	3.7	4mm

MINI-Резец для обработки отверстий




Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
SBPR415LR0.05	3.7	15.0	0.7	0.05	D4	50	3.7	4mm
SBPR415LR0.1	3.7	15.0	0.7	0.1	D4	50	3.7	4mm
SBPR415LR0.2	3.7	15.0	0.7	0.2	D4	50	3.7	4mm
SBPR520LR0.05	4.7	20.0	1.2	0.05	D5	50	4.7	5mm
SBPR520LR0.1	4.7	20.0	1.2	0.1	D5	50	4.7	5mm
SBPR520LR0.2	4.7	20.0	1.2	0.2	D5	50	4.7	5mm
SBPR620LR0.05	5.7	20.0	1.2	0.05	D6	50	5.7	6mm
SBPR620LR0.1	5.7	20.0	1.2	0.1	D6	50	5.7	6mm
SBPR620LR0.2	5.7	20.0	1.2	0.2	D6	50	5.7	6mm
SBPR725LR0.15	6.5	25.0	1.5	0.15	D7	50	6.7	7mm
SBPR830LR0.15	7.5	30.0	1.5	0.15	D8	60	7.7	8mm
SBPR830LR0.3	7.5	30.0	1.5	0.3	D8	60	7.7	8mm

МИНИ-Резец для обработки отверстий




Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
SBTR14LR0.0	0.85	4.0	0.15	0.0	D4	40	3.7	1mm
SBTR14LR0.1	0.85	4.0	0.15	0.1	D4	40	3.7	1mm
SBTR26LR0.05	1.8	6.0	0.25	0.05	D4	40	3.7	2mm
SBTR26LR0.1	1.8	6.0	0.25	0.1	D4	40	3.7	2mm
SBTR36LR0.05	2.7	6.0	0.3	0.05	D4	50	3.7	3mm
SBTR36LR0.1	2.7	6.0	0.3	0.1	D4	50	3.7	3mm
SBTR36LR0.2	2.7	6.0	0.3	0.2	D4	50	3.7	3mm
SBTR310LR0.05	2.7	10.0	0.3	0.05	D4	50	3.7	3mm
SBTR310LR0.1	2.7	10.0	0.3	0.1	D4	50	3.7	3mm
SBTR310LR0.2	2.7	10.0	0.3	0.2	D4	50	3.7	3mm
SBTR48LR0.05	3.7	8.0	0.4	0.05	D4	50	3.7	4mm
SBTR48LR0.1	3.7	8.0	0.4	0.1	D4	50	3.7	4mm
SBTR48LR0.2	3.7	8.0	0.4	0.2	D4	50	3.7	4mm

МИНИ-Резец для обработки отверстий




Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
SBTR415LR0.05	3.7	15.0	0.4	0.05	D4	50	3.7	4mm
SBTR415LR0.1	3.7	15.0	0.4	0.1	D4	50	3.7	4mm
SBTR415LR0.2	3.7	15.0	0.4	0.2	D4	50	3.7	4mm
SBTR520LR0.1	4.7	20.0	0.5	0.1	D5	50	4.7	5mm
SBTR520LR0.2	4.7	20.0	0.5	0.2	D5	50	4.7	5mm
SBTR620LR0.1	5.7	20.0	0.5	0.1	D6	50	5.7	6mm
SBTR620LR0.2	5.7	20.0	0.5	0.2	D6	50	5.7	6mm
SBTR620LR0.4	5.7	20.0	0.5	0.4	D6	50	5.7	6mm
SBTR725LR0.2	6.5	25.0	0.5	0.2	D7	50	6.7	7mm
SBTR830LR0.2	7.5	30.0	0.5	0.2	D8	60	7.7	8mm
SBTR830LR0.4	7.5	30.0	0.5	0.4	D8	60	7.7	8mm

МИНИ-Резец для обработки канавки




Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
SBQR36LR0.05	2.9	6.0	0.6	0.05	D4	50	3.7	3mm
SBQR310LR0.2	2.9	10.0	0.6	0.2	D4	50	3.7	3mm
SBQR410LR0.1	3.9	10.0	0.8	0.1	D4	50	3.7	4mm
SBQR410LR0.2	3.9	10.0	0.8	0.2	D4	50	3.7	4mm
SBQR515LR0.1	4.9	15.0	1.0	0.1	D5	50	4.7	5mm
SBQR515LR0.2	4.9	15.0	1.0	0.2	D5	50	4.7	5mm
SBQR615LR0.1	5.9	15.0	1.0	0.1	D6	50	5.7	6mm
SBQR615LR0.2	5.9	15.0	1.0	0.2	D6	50	5.7	6mm
SBQR720LR0.2	6.5	20.0	1.5	0.2	D7	50	6.7	7mm
SBQR825LR0.1	7.5	25.0	2.0	0.1	D8	60	7.7	8mm
SBQR825LR0.2	7.5	25.0	2.0	0.2	D8	60	7.7	8mm

МИНИ-Резец для обработки отверстий




Обозначение	F	L1	S	R	D	L2	H	F1	Минимальный диаметр обработки
SBUR310LR0.1	2.7	10.0	0.4	0.1	D4	50	3.7	1.3	1.3
SBUR415LR0.1	3.7	15.0	0.5	0.1	D4	50	3.7	1.7	1.7
SBUR520LR0.2	4.7	20.0	0.7	0.2	D5	50	4.7	2.1	2.1
SBUR620LR0.2	5.7	20.0	1.0	0.2	D6	50	5.7	2.8	2.8
SBUR725LR0.2	6.7	25.0	1.0	0.2	D7	50	6.7	3.2	3.2
SBUR830LR0.2	7.7	30.0	1.0	0.2	D8	60	7.7	3.8	3.8

МИНИ-Резец для обработки отверстий




Обозначение	F	L1	S	R	D	L2	H	W	Минимальный диаметр обработки
SBDR410LR0.2	3.8	10.0	0.8	0.2	D4	50	3.7	1.5	4mm
SBDR515LR0.2	4.8	15.0	1.2	0.2	D5	50	4.7	1.5	5mm
SBDR615LR0.2	5.8	15.0	1.4	0.2	D6	50	5.7	1.5	6mm

МИНИ-Резец двойной






Обозначение	F	L1	S	R	D	L2	H	Минимальный диаметр обработки
2SBTR25LR0.05	1.8	5.0	0.15	0.05	D3	50	2.7	2mm
2SBTR315LR0.1	2.7	15.0	0.3	0.1	D3	50	2.7	3mm
2SBTR415LR0.15	3.7	15.0	0.4	0.5	D4	60	3.6	4mm
2SBTR525LR0.1/0.2	4.7	25.0	0.5	0.1/0.2	D5	70	4.4	5mm
2SBTR625LR0.1/0.2	5.7	25.0	0.5	0.1/0.2	D6	70	5.4	6mm

МИНИ-Резец для обработки резьбы




Обозначение	F	L1	S	R	D	Мини-мальная резьба	Шаг		Минимальный диаметр обработки
							min	max	
STIR14050-60°	1.4	5.0	0.4	0.00	D4	M2	0.25	0.45	1.5
STIR18070-60°	1.8	7.0	0.6	0.00	D4	M2.5	0.25	0.7	1.5
STIR24070-60°	2.4	7.0	0.5	0.00	D4	M3	0.35	0.6	2.5
STIR30120-60°	3.0	12.0	0.85	0.03	D4	M4	0.5	0.8	3.1
STIR40150-60°	3.85	15.0	1.1	0.05	D4	M5/M6	0.5	1.0	4.0
STIR50150-60°	4.8	15.0	1.5	0.05	D5	M8	0.75	1.5	5.0
STIR60200-60°	5.6	20.0	1.8	0.08	D6	M10	0.75	1.75	6.0
STIR80220-60°	7.8	22.0	2.2	0.08	D8	M12	1.0	2.0	8.0
STIL40150-60°	3.85	15.0	1.1	0.05	D4	M5/M6	0.5	1.0	4.1
STIL50150-60°	4.8	15.0	1.5	0.05	D5	M8	0.75	1.5	5.1
STIL60200-60°	5.6	20.0	1.8	0.08	D6	M10	0.75	1.75	6.0
STIL80220-60°	7.8	22.0	2.2	0.08	D8	M12	1.0	2.0	8.0
STIR40150-55°	3.85	15.0	1.1	0.05	D4	1/4-20 BSW			4.0
STIR50150-55°	4.8	15.0	1.5	0.05	D5	5/16-18 BSW			5.0
STIR60200-55°	5.6	20.0	1.8	0.08	D6	3/8-16 BSW			6.0
STIR80220-55°	7.8	22.0	2.2	0.08	D8	1/2-12BSW			8.0

МИНИ-Резец для обработки резьбы




Обозначение	F	L1	S	R	D	L2	Резьба
STIR8 25L A30°	6.2	25	1.3	0.1	D8	60	Tr8x1.5 Tr9x1.5
STIR8 25L A30°	6.5	25	1.8	0.2	D8	60	Tr9x2.0 Tr10x2.0
STIR8 30L A30°	7.5	30	2.5	0.2	D8	60	Tr11x3.0 Tr12x3.0 Tr14x3.0
STIR10 35L A30°	9.5	35	2.8	0.2	D10	75	Tr14x4.0 Tr16x4.0 Tr18x4.0

МИНИ-Резец для обработки канавки




Обозначение	W	S	L1	R	F	D	L2	H	Минимальный диаметр обработки
SBWR05100R005-D4	0.5	1.0	10	0.05	3.8	D4	50	3.7	4mm
SBWR08100R005-D4	0.8	1.0	10	0.05	3.8	D4	50	3.7	4mm
SBWR10100R005-D4	1.0	1.5	10	0.05	3.8	D4	50	3.7	4mm
SBWR15100R005-D4	1.5	1.5	10	0.05	3.8	D4	50	3.7	4mm
SBWR10100R010-D5	1.0	1.5	10	0.1	4.8	D5	50	4.7	5mm
SBWR12100R010-D5	1.2	1.5	10	0.1	4.8	D5	50	4.7	5mm
SBWR15100R010-D5	1.5	2.0	10	0.1	4.8	D5	50	4.7	5mm
SBWR20100R010-D5	2.0	2.0	10	0.1	4.8	D5	50	4.7	5mm
SBWR10120R015-D6	1.0	2.0	12	0.15	5.8	D6	50	5.7	6mm
SBWR15120R015-D6	1.5	2.0	12	0.15	5.8	D6	50	5.7	6mm
SBWR20120R015-D6	2.0	2.0	12	0.15	5.8	D6	50	5.7	6mm
SBWR25160R015-D6	2.5	2.5	16	0.15	5.8	D6	50	5.7	6mm
SBWR15160R015-D8	1.5	3.0	16	0.15	7.8	D8	50	7.7	8mm
SBWR20160R015-D8	2.0	3.0	16	0.15	7.8	D8	50	7.7	8mm
SBWR25160R015-D8	2.5	3.0	16	0.15	7.8	D8	50	7.7	8mm

МИНИ-Резец для обработки торцевой канавки




Обозначение	F	L1	T	W	R	D	L2	H	Минимальный диаметр обработки
SMFR615LW0.75	2.95	15	1.5	0.75	0.1	D6	50	5.7	8.0
SMFR615LW1.0	2.95	15	2.0	1.0	0.1	D6	50	5.7	8.0
SMFR820LW2.0	3.95	20	4.0	2.0	0.2	D8	50	7.7	10.0
SMFR820LW2.5	3.95	20	5.0	2.5	0.2	D8	50	7.7	10.0
SMFR820LW3.0	3.95	20	6.0	3.0	0.2	D8	50	7.7	10.0

МИНИ-Резец для обработки торцевой канавки





Обозначение	F	L1	T	W	R	D	L2	H	Минимальный диаметр обработки
SMFL615LW0.75	2.95	15	1.5	0.75	0.1	D6	50	5.7	8.0
SMFL615LW1.0	2.95	15	2.0	1.0	0.1	D6	50	5.7	8.0
SMFL820LW2.0	3.95	20	4.0	2.0	0.2	D8	50	7.7	10.0
SMFL820LW2.5	3.95	20	5.0	2.5	0.2	D8	50	7.7	10.0
SMFL820LW3.0	3.95	20	6.0	3.0	0.2	D8	50	7.7	10.0

МИНИ-Резец для обработки канавки






Обозначение	F	S	L1	R	D	L2	H	Минимальный диаметр обработки
SBKR4R0.510L	3.8	1.0	10	0.5	D4	50	3.7	4mm
SBKR4R0.7510L	3.8	1.0	10	0.75	D4	50	3.7	4mm
SBKR6R0.515L	5.8	1.5	15	0.5	D6	50	5.7	6mm
SBKR6R0.7515L	5.8	1.5	15	0.75	D6	50	5.7	6mm
SBKR6R1.015L	5.8	1.5	15	1.0	D6	50	5.7	6mm

MINI-Резец для обработки канавки




Обозначение	F	W	S	L1	R	D	L2	H	Минимальный диаметр обработки
SBXR4R0.110L	3.8	1.5	1.0	10	0.1	D4	50	3.7	4mm
SBXR5R0.1515L	4.8	2.0	1.5	15	0.15	D5	50	4.7	5mm
SBXR6R0.220L	5.8	2.0	2.0	20	0.2	D6	50	5.7	6mm

MINI-Резец для обработки канавки



Обозначение	F	L1	S	R	D	L2	H
SBCR310LR0.2	2.8	10	0.5	0.2	D4	50	3.7
SBCR415LR0.2	3.7	15	0.8	0.2	D4	50	3.7
SBCR515LR0.2	4.7	15	1.2	0.2	D5	50	4.7
SBCR615LR0.2	5.7	15	1.5	0.2	D6	50	5.7

MINI-Резец для обработки канавки



Обозначение	D	d	L1	L2	H	L
SBH1603	16	3.0	6.0	6.0	15	100
SBH1604	16	4.0	6.0	6.0	15	100
SBH1605	16	5.0	6.0	6.0	15	100
SBH1606	16	6.0	6.0	6.0	15	100
SBH1607	16	7.0	6.0	6.0	15	100
SBH2003	20	3.0	6.0	6.0	19	100
SBH2004	20	4.0	6.0	6.0	19	100
SBH2005	20	5.0	6.0	6.0	19	100
SBH2006	20	6.0	6.0	6.0	19	100
SBH2007	20	7.0	6.0	6.0	19	100
SBH2008	20	8.0	6.0	6.0	19	100

ТВЁРДОСПЛАВНЫЕ ФРЕЗЫ

